

3A | Balloon Blowers & Accessories



RATERMANN
MANUFACTURING, INC.

INDEX

Balloon Cylinder Cover for High Pressure, D Size & E Size Cylinders.....	3A-5
Balloon Filler Regulator Accessories	
Replacement Part.....	3A-4
Replacement Tip.....	3A-4
Replacement Valve.....	3A-4
Balloon Regulators	
Balloon Blower	3A-2-3, 4
Economy Balloon Blower.....	3A-2-3
Mylar Balloon Blower	3A-4
Wrench Tight Balloon Blower.....	3A-2
Portable Helium Transfiller	3A-3
Western Balloon Blowers	
60/40 Helium-Air Mixer, Push Valve Inflator	
Handtight and Gauge	3A-3
Deluxe Rental Inflator, Handtight	
Connection with Gauge	3A-3
Standard Latex Economy Inflator	
CGA 580 Connection	3A-3
CGA 580 Connection with Gauge.....	3A-3

ACCESSORIES

Cap Netting for High Pressure and Acetylene Cylinders.....	3A-6
Carts and Stands	
Bench Mount	3A-5
Heavy-duty Delivery Truck.....	3A-5
Large Single Cylinder Stand	3A-5
Wall Bracket.....	3A-5
CGA 540/580 Cap/Valve/Regulator Wrench	3A-2
Fast Cap Tool.....	3A-6
High Pressure Cylinder Caps	
Coarse Thread	3A-6
Fine Thread.....	3A-6
Ring Tag Counter Display	3A-5
Valve Cap Wrench	3A-6

Balloon Regulators



Balloon Blower

Balloon Blower has a rugged all brass body, Piston type mechanism, drilled and tapped for tie hook and string cutter. Body contains an additional 1/4" NPT port to accommodate a second filler valve if desired.

- Plastic hand tight CGA 580 inlet connection with sintered bronze inlet filter
- 1 1/2" rear entry cylinder contents gauge (Model BLO-4-PHG)
- Weight without gauge: 1 lb. 6 oz.
with gauge: 1 lb. 8 oz.

Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-4-PH	CGA 580 Hand Tight	None	Available Separately
BLO-4-PHTS	CGA 580 Hand Tight	None	Tie Hook String Cutter
BLO-4-PHG	CGA 580 Hand Tight	1 1/2" 4000 PSI Rear Gauge	Available Separately
BLO-4-PHGTS	CGA 580 Hand Tight	1 1/2" 4000 PSI Rear Gauge	Tie Hook String Cutter

PH – Plastic Hand Tight T – Tie



Wrench Tight Balloon Blower

Model BLO-2 Balloon Blower rugged all brass body, Piston Type mechanism, drilled and tapped for tie hook and string cutter. Body contains an additional 1/4" NPT port to accommodate a second filler valve if desired.

Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-2	CGA 580	None	Available Separately
BLO-2-TS	CGA 580	None	Tie Hook String Cutter
BLO-2-WG	CGA 580	1 1/2" 3000 PSI Rear Gauge	Available Separately
BLO-2-WGTS	CGA 580	1 1/2" 3000 PSI Rear Gauge	Tie Hook String Cutter



Pt # BLO-E1

Economy Balloon Blower

Economy Balloon Blower features straight through construction, rugged brass body, Piston Type mechanism.

Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-E1	CGA 580 Hand Tight	None	None
BLO-E1WG	CGA 580 Hand Tight	1 1/2" 4000 PSI Rear Gauge	None

Easily Opens Caps, Valves and Attaches Regulator



Use for Tough to Open Valves
Pt # RAT-CW540580



For Hard to Turn Caps



Connecting Regulator
CGA 540 & CGA 580



Use as a Captured Wrench –
No more searching for a wrench.

See our Complete line of Wrenches and Sockets on page 11A 4-6

Western Balloon Blowers | Helium Transfiller



Pt # WST-B4GHT-06



Pt # WST-R125



Pt # WST-R125G



60/40 Helium-Air Mixer, Push Valve Inflator Handtight and Gauge

Mixing air with helium increases the amount of latex balloons that can be inflated from a helium cylinder. Ideal for giveaway balloons at special events.

Features:

- Saves 40% of helium cost
- Latex Balloon inflator features durable brass pushdown valve
- Inflator can accept other tip attachments

Pt #	Description
WST-B4GHT-06	60/40 Helium-Air Mixer

Note: Mixing air with helium may decrease float time

Stainless Steel 36" Portable Helium Transfiller

Designed for safe and efficient transfilling of gas from large helium cylinders to smaller type rental cylinders. Complete operating and safety instructions included.

Features:

- Handtight Connections
- Bleeder Valve



Pt # TF-HE36



Standard Latex Economy Inflator CGA 580 Connection

Economy Inflators are durable, easy-to-install and easy-to-use and are available with or without contents gauges.

Features:

- Horizontal design with all brass piston construction
- Maximum inlet pressure 3000 psig – Outlet pressure 38-85 psig
- Replaceable Viton® O-Ring (WST-W615-0)
- Replaceable Rubber Tilt Valve (WST-TV-TP)
- One year warranty

Pt #	Description
WST-R125	Standard Latex Economy
WST-R125G	Standard Latex Economy w/Gauge



Deluxe Rental Inflator, Handtight Connection with Gauge



Pt # WST-RPB-6HG

PROVIDES FOR QUICK AND EASY INFLATION OF LATEX BALLOONS.

Deluxe Rental Inflator Provide for quick and easy inflation of latex balloons.

Features:

- Vertical design with all brass piston construction
- Filtered throughout to trap foreign matter and extend regulator life
- Maximum inlet pressure 3000 psig – Outlet pressure 35-85 psig
- One year warranty


Pt #	Description
WST-RPB-6HG	Deluxe Rental Inflator

Balloon Filler Regulators | Regulator Accessories

Mylar Balloon Regulator

Model BLO-4 has auto-fill Mylar plus standard latex balloon filler. Rugged all brass body, Piston type mechanism, drilled and tapped for tie hook and ribbon cutter.

- Automatic shut-off mylar filler to prevent over filling and bursting of expensive mylar balloon
- Plastic hand tight CGA 580 inlet connection with sintered bronze inlet filter
- 1 1/2" rear entry cylinder contents gauge



Pt # BLO-4

Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-4	CGA 580 Hand Tight	None	Available Separately

Balloon Blower BLO-3HO Series

Balloon Blower rugged all brass body, Piston type mechanism, drilled and tapped for tie hook and string cutter. Body contains an additional 1/4" NPT port to accommodate a second filler valve if desired.



Pt # BLO-3HO-WG

Part #	Inlet Connection	Inlet Gauge	Accessories
BLO-3HO	CGA 580 Wrench Tight	None	Available Separately
BLO-3HO-TS	CGA 580 Wrench Tight	None	Tie Hook String Cutter
BLO-3HO-WG	CGA 580 Wrench Tight	1 1/2" 3000 PSI Rear Gauge	Available Separately
BLO-3HO-WGTS	CGA 580 Wrench Tight	1 1/2" 3000 PSI Rear Gauge	Tie Hook String Cutter

HO – O-Ring Wrench Tight G – Inlet Gauge TS – Tie - String Cutter

Balloon Filler Regulator Accessories

Replacement Part



Pt # BLO-RP1

Pt # BLO-RP3

Pt # BLO-RP4



Pt # BLO-RP5



Pt # BLO-RP6

Part #	Description
BLO-RP1	Contents Gauge, 1 1/2" x 4000 PSI Rear Entry
BLO-RP3	Tie Hook, Brass
BLO-RP4	String Cutter, Plastic
BLO-RP5	Body Plug, 1/8" NPT
BLO-RP6	Body Plug, 1/4" NPT

Replacement Valve



Pt # BLO-RV1



Pt # BLO-RV2



Pt # BLO-RV3



Pt # BLO-RV4



Pt # BLO-RV5



Pt # BLO-RV6

Part #	Description
BLO-RV1	Tilt Valve and/or Blow Gun with 1/4" NPT Female Inlet
BLO-RV2	Tilt Valve and/or Blow Gun with 1/4" NPT Male Bushing
BLO-RV3	1/4" Male Tilt Valve
BLO-RV4	1/4" Male Tilt Valve with Mylar Tip
BLO-RV5	Replacement Mylar Tip for Tilt Valve
BLO-RV6	1/4" Male NPT Push Valve

Replacement Tip



Pt # BLO-RT-2



Pt # BLO-RT-4



Pt # BLO-RT-5



Pt # BLO-RT-3

Part #	Description
BLO-RT-1	Large Latex Balloon Tip
BLO-RT-2	Mylar Balloon Tip
BLO-RT-3	Large Latex Tip Attachment
BLO-RT-4	Needle Valve Tip (Male)
BLO-RT-5	Mixer Tip, 60% Helium / 40% Air

Cylinder Covers | Carts & Stands

Cylinder Covers

- High Pressure
- D Size
- E Size



Custom colors and sizes available.

Solid colors available



Red



Green



Yellow



Black



Blue

Note: All colors shown are printed representations. Actual colors may vary.

Cylinder Covers
High Pressure 200-300 cu. ft. Large 9" x 58" Cylinders

Part Number	Description
CYL-1-COVER-BK	High Pressure – Black
CYL-1-COVER-BL	High Pressure – Blue
CYL-1-COVER-G	High Pressure – Green
CYL-1-COVER-OR	High Pressure – Orange
CYL-1-COVER-R	High Pressure – Red
CYL-1-COVER-Y	High Pressure – Yellow

Medical D and E Size Cylinders

CYL-2-COVER-BK	Cylinder Cover D & E Size – Black
CYL-2-COVER-BL	Cylinder Cover D & E Size – Blue
CYL-2-COVER-GR	Cylinder Cover D & E Size – Green
CYL-2-COVER-OR	Cylinder Cover D & E Size – Orange
CYL-2-COVER-R	Cylinder Cover D & E Size – Red
CYL-2-COVER-YW	Cylinder Cover D & E Size – Yellow

Ring Tag Counter Display

see page 5A-8 for details

SELL "EMPTY" RING TAGS OVER-THE-COUNTER

Mark your empty cylinders with cylinder neck rings

Sell "empty" rings over the counter while advertising your company on the cylinders in your customer's shop. see page 5A-8 for details

Ring Tag Shown:
Pt # T-45

TWO SIDED TAGS

- side one – **EMPTY**
- side two – **FULL**

Tag Size –
2" x 2" x 3/16" thick



Great P.O.P. item for your retail locations. Artwork available for your sales flyers.



Counter Display
Pt # D1

Carts & Stands



Large Single Cylinder Stand

Pt # CBR-STAND

Available for

- C Size
- D Size
- E Size
- M Size
- M6 Size
- M60 Size

See our complete line of Carts & Stands in Section 17A



Heavy-Duty Delivery Truck

Pt # CBR-UHC-PF
Pt # CBR-UHC-F

Bench Mount



Pt # CBR-BM795C

Wall Bracket

for Single 7" to 9 1/2" Diameter Cylinder w/Chain



Pt # CBR-W795C

Rev: 11/19/15, 7/1/13

High Pressure Cylinder Caps

Caps for High Pressure Cylinder 80 through 330 cu. ft.



Caps Painted Gray
6 1/2" – 3 1/8-11



Caps Painted White
6 1/2" – 3 1/8-11



Caps Painted Black
6 1/2" – 3 1/8-11



Caps Painted Green Medical
6 1/2" – 3 1/8-11



Caps Unpainted
6 1/2" – 3 1/8-11

INSIDE CAP CYLINDER THREADS

Fine Thread:
11 threads to an inch



Coarse Thread:
7 threads to an inch.
Cap I.D. is 3 1/4



Unpainted High Pressure Cylinder Caps

Part #	Description
8FRNP	Fine Thread
8CRNP	Coarse Thread

Painted – Fine Thread Most Common

Part #	Color
8FRNP-08	White
8FRNP-02	Black
8FRNP-06	Gray
8FRNP-MGR	Green Medical

Painted – Coarse Thread

Part #	Color
8CRNP-08	White
8CRNP-02	Black
8CRNP-06	Gray



Valve Cap Wrench

For removing those "hard-to-open" caps.



Cylinder Cap Wrench

Part #	Description
CW-CAP	Cap Wrench



Fast Cap Tool

Speed up your filling operation with the Fast Cap Tool.

The power tool attachment for cylinder caps.

Fast Cap Tool

Part #	Description
CC-CR38	3/8" Drive Full Unit Cap Remover Tool



High Pressure Cap
Pt # CAP-G4PK100



Acetylene Cap
Pt # CAP-ACT4PK100

Cap Netting

Keep wasps and hornets out of your cylinder caps.

Sizes available for both high pressure and acetylene caps.

Cap Netting

Part #	Description	Color
CAP-G4PK100	High Pressure Cap	Green
CAP-ACT4PK100	Acetylene Cap	Orange